

1. Identification

Product Identifier	Oxy Shot	
Other means of identification Product code	EI-1620	
Recommended use	Carpet spotter and general cleaner.	
Recommended restrictions	None known.	
Manufacturer information		
Company name	Empire Industries	
Address	P.O. Box 1404 Brentwood, TN 37024	
Telephone	(615) 315-0026	
Fax	(615) 315-0035	
Emergency phone number	PERS 24-hour Emergency	(800) 633-8253 (800) 633-8253

2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Skin irritation	Category 2
	Eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		

Signal word	WARNING
Hazard statement	Causes skin irritation. Causes serious eye irritation.
Precautionary statement	
Prevention	Wash hands and exposed skin thoroughly after handling. Wear protective gloves. Wear eye protection/face protection.
Response	IF ON SKIN : Wash with plenty of water. Specific treatment (see section 4 on this SDS). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. If eye irritation persists: Get medical advice/attention.
Storage	No special hazards
Disposal	No special instructions
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.



3. Composition/information on ingredients

Mixtures		
Chemical name	CAS number	%
Alcohols, C9-11, ethoxylated	68439-46-3	1-3
Hydrogen peroxide	7722-84-1	1-2
D-limonene	5989-27-5	0.1-1
Other components b	pelow reportable levels	96-98

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and warm water for at least 15 minutes. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye irritation. Can cause burning sensation in affected areas. Can cause dermatitis, rash. Hydrogen peroxide can temporarily turn the skin white with persistent contact.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with caution.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water.



Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, oe synthetic textile wipes). Clean surface thoroughly with water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid release to the open environment. Avoid discharge into surface waterways and areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits			
US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)			
Components	Туре	Value	
Hydrogen Peroxide	PEL	1 ppm	
US ACGIH Threshold Limit V	/alues		
Components	Туре	Value	
Hydrogen Peroxide	TWA	1 ppm	
Biological limit values			
No data available.			
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves. Nitrile or PVC are recommended materials		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		



9. Physical and chemical properties

Appearance	
Physical State	Liquid
Color	Colorless
Odor	Citrus
Odor threshold	Not available.
рН	4.5-6
Melting/freezing point	23°F (-5°C) estimated.
Initial boiling point and	>212°F (>100°C).
boiling range	
Flash point	>392°F (>200°C).
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.01
Solubility in water	Complete.
Partition coefficient	Not applicable.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Material decomposes with the potential to produce a rupture of unvented closed containers. Avoid storing in excessive heat or sunlight.
Incompatible materials	Metals, organic materials, strong reducing agents, strong bases.
Hazardous decomposition products	No hazardous decomposition products occur. Oxygen can be liberated at temperatures above ambient.

11. Toxicological information

Information on likely routes of exposure	
Ingestion	Do not ingest. May be harmful if swallowed.
Inhalation	Do not inhale mists. May irritate the upper respiratory tract.
Skin contact	Can cause skin irritation.
Eye contact	Can cause serious eye irritation.



Symptoms related to the physical, chemical and toxicological characteristics Acute toxicity Skin irritation, serious eye irritation. Can temporarily turn skin white with prolonged contact.

Expected to have low toxicity to humans.

Product: Oxy Shot (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	<i>Oral,</i> rat	26,000 mg/kg estimated.
Acute	Dermal, rabbit	> 2,570 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation	Can cause skin irritation.
Serious eye damage/ irritation	Can cause serious eye irritation.
Respiratory sensitization	Not considered a respiratory sensitizer.
Skin sensitization	Not considered a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Components not identified by IARC as group carcinogen.
OSHA Specifically Regulated Su	bstances (29 CFR 1910.1001-1050) Not Listed.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	May irritate the upper respiratory tract with prolonged inhalation.
Specific target organ toxicity – repeated exposure	No data available.
Aspiration hazard	No data available.

12. Ecological information

Ecotoxicity			
Product: Oxy Shot (CAS mixture)			
Aquatic Receptor	Species	Test Results	
Crustacea	Daphnia magna	EC ₅₀ = 126.8 mg/L estimated.	
Fish	Fathead minnow	LD ₅₀ = 254.4 mg/L estimated.	
*Estimates for product may be based on additional component data not shown			

Persistence and degradability	Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation processes and decomposes into water and oxygen. Hydrogen peroxide half-life in freshwater ranges from 8 hours to 20 days, in air from 10 to 20 hours, and in soils from minutes to hours depending upon microbiological activity and metal contamination. Alcohol ethoxylate: considered readily biodegradable.
Bio-accumulative potential	Expected to be low, will likely degrade before accumulation can occur.
Mobility in soil	Will likely be mobile in saturated soils but will degrade or adsorb readily to organic fractions.
Other adverse effects	None.



13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. As packaged, this product does not meet definition of RCRA hazardous waste (40 CFR Part 261, Subpart C)
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information


DOT Not regulated as dangerous goods.

15. Regulatory information

US federal regulations	
SARA 302 Extremely hazardous substance	Not listed.
SARA 304 Emergency release notification	Not listed.
SARA 311/312 Hazard Categories	
Immediate Hazard - Yes	
Delayed Hazard – No	
Fire Hazard – No	
Pressure Hazard – No	
Reactivity Hazard – No	
SARA 313 (TRI reporting)	
Not listed.	
This product is	Prinking Water and Toxic Enforcement Act of 1986 not known to contain any chemicals currently listed as carcinogens or oxins under California Proposition 65 at levels which would be subject to
threshold determination and Safe Harbor notification (1/2019)	

16. Other information, including date of preparation or last revision

Issue date	10/28/2019
Revision date	
Version #	1
HMIS [®] ratings	Health: 1
	Flammability: 0
	Physical hazard: 0





NFPA ratings

Health: 1 Flammability: 0 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information